


DIN 603, Cup head screw with nut, M 16x300, 4.6/4.8, zinc-plated, standard, 5 µm, Zn5/An/T0



|                |                                        |
|----------------|----------------------------------------|
| Article number | Weight in kg                           |
| 21060316300    | 0.55                                   |
| Customs number | Material                               |
| 73181595       | Steel                                  |
| Quality        | Coating                                |
| 4.6/4.8        | zinc-plated, standard, 5 µm, Zn5/An/T0 |
| Diameter       | Length                                 |
| 16 mm          | 300 mm                                 |



Product details

With square neck and hexagonal nut.

|                         |                                        |
|-------------------------|----------------------------------------|
| Material                | Steel                                  |
| Total lenght l          | 300 mm                                 |
| Length                  | 300 mm                                 |
| Norm                    | DIN 603                                |
| Diameter                | 16 mm                                  |
| Height of the head k    | 8.5 mm                                 |
| Square height f         | 12.9 mm                                |
| Coating                 | zinc-plated, standard, 5 µm, Zn5/An/T0 |
| Diameter of the head dk | 38 mm                                  |
| Thread length b         | 57 mm                                  |

|                        |             |
|------------------------|-------------|
| Force application type | Square neck |
| Square wide v          | 16.7 mm     |
| Quality                | 4.6/4.8     |
| Force application      | VK 16,7     |
| Diameter d             | 16 mm       |

|                                           |
|-------------------------------------------|
| Remarks                                   |
| Strength class depending on manufacturer. |

| Product variants |   |   |   |    |    |    |    |
|------------------|---|---|---|----|----|----|----|
| Diameter (mm)    | 5 | 6 | 8 | 10 | 12 | 16 | 20 |
| Length (mm)      |   |   |   |    |    |    |    |
| 16               | . | . | . | .  |    |    |    |
| 20               | . | . | . | .  |    |    |    |
| 25               | . | . | . | .  |    |    |    |
| 30               | . | . | . | .  | .  |    |    |
| 35               | . | . | . | .  | .  | .  |    |
| 40               | . | . | . | .  | .  | .  |    |
| 45               | . | . | . | .  | .  | .  |    |
| 50               | . | . | . | .  | .  | .  |    |
| 55               | . | . | . | .  | .  | .  |    |
| 60               | . | . | . | .  | .  | .  |    |
| 65               | . | . | . | .  | .  | .  |    |
| 70               | . | . | . | .  | .  | .  |    |
| 75               |   | . | . | .  | .  | .  |    |
| 80               | . | . | . | .  | .  | .  | .  |
| 85               |   |   |   | .  | .  |    |    |
| 90               | . | . | . | .  | .  | .  |    |
| 100              |   | . | . | .  | .  | .  | .  |
| 110              |   | . | . | .  | .  | .  |    |
| 120              |   | . | . | .  | .  | .  | .  |
| 130              |   | . | . | .  | .  | .  |    |
| 140              |   | . | . | .  | .  | .  | .  |
| 150              |   | . | . | .  | .  | .  |    |
| 160              |   |   | . | .  | .  | .  |    |
| 170              |   |   | . | .  | .  | .  |    |
| 180              |   |   | . | .  | .  | .  | .  |
| 190              |   |   | . | .  | .  | .  |    |
| 200              |   |   | . | .  | .  | .  | .  |
| 220              |   |   |   | .  | .  | .  | .  |
| 240              |   |   |   | .  | .  | .  | .  |
| 250              |   |   |   |    | .  |    |    |
| 260              |   |   |   | .  | .  | .  | .  |
| 280              |   |   |   | .  | .  | .  | .  |
| 300              |   |   |   | .  | .  | .  | .  |
| 320              |   |   |   | .  | .  | .  | .  |
| 340              |   |   |   |    | .  | .  |    |

| Diameter (mm) | 5 | 6 | 8 | 10 | 12 | 16 | 20 |
|---------------|---|---|---|----|----|----|----|
| Length (mm)   |   |   |   |    |    |    |    |
| 360           |   |   |   |    | .  | .  |    |
| 380           |   |   |   |    | .  | .  | .  |
| 400           |   |   |   |    | .  | .  |    |
| 540           |   |   |   |    |    | .  |    |