

DIN 603, Cup head screw with nut, M 8x25, 4.6/4.8, zinc-plated, standard, 5 µm, Zn5/An/T0



|                                    |                                                          |
|------------------------------------|----------------------------------------------------------|
| <b>Article number</b><br>210603825 | <b>Weight in kg</b><br>0.02                              |
| <b>Customs number</b><br>73181595  | <b>Material</b><br>Steel                                 |
| <b>Quality</b><br>4.6/4.8          | <b>Coating</b><br>zinc-plated, standard, 5 µm, Zn5/An/T0 |
| <b>Diameter</b><br>8 mm            | <b>Length</b><br>25 mm                                   |



Product details

With square neck and hexagonal nut.

|                         |                                        |
|-------------------------|----------------------------------------|
| Material                | Steel                                  |
| Total lenght l          | 25 mm                                  |
| Length                  | 25 mm                                  |
| Norm                    | DIN 603                                |
| Diameter                | 8 mm                                   |
| Height of the head k    | 4.5 mm                                 |
| Square height f         | 5.6 mm                                 |
| Coating                 | zinc-plated, standard, 5 µm, Zn5/An/T0 |
| Diameter of the head dk | 20 mm                                  |
| Thread length b         | 25 mm                                  |

|                        |             |
|------------------------|-------------|
| Force application type | Square neck |
| Square wide v          | 8.58 mm     |
| Quality                | 4.6/4.8     |
| Force application      | VK 8,58     |
| Diameter d             | 8 mm        |

Remarks

Strength class depending on manufacturer.

Product variants

| Diameter (mm) | 5 | 6 | 8 | 10 | 12 | 16 | 20 |
|---------------|---|---|---|----|----|----|----|
| Length (mm)   |   |   |   |    |    |    |    |
| 16            | . | . | . | .  |    |    |    |
| 20            | . | . | . | .  |    |    |    |
| 25            | . | . | . | .  |    |    |    |
| 30            | . | . | . | .  | .  |    |    |
| 35            | . | . | . | .  | .  | .  |    |
| 40            | . | . | . | .  | .  | .  |    |
| 45            | . | . | . | .  | .  | .  |    |
| 50            | . | . | . | .  | .  | .  |    |
| 55            | . | . | . | .  | .  | .  |    |
| 60            | . | . | . | .  | .  | .  |    |
| 65            | . | . | . | .  | .  | .  |    |
| 70            | . | . | . | .  | .  | .  |    |
| 75            |   | . | . | .  | .  | .  |    |
| 80            | . | . | . | .  | .  | .  | .  |
| 85            |   |   |   | .  | .  |    |    |
| 90            | . | . | . | .  | .  | .  |    |
| 100           |   | . | . | .  | .  | .  | .  |
| 110           |   | . | . | .  | .  | .  |    |
| 120           |   | . | . | .  | .  | .  | .  |
| 130           |   | . | . | .  | .  | .  |    |
| 140           |   | . | . | .  | .  | .  | .  |
| 150           |   | . | . | .  | .  | .  |    |
| 160           |   |   | . | .  | .  | .  |    |
| 170           |   |   | . | .  | .  | .  |    |
| 180           |   |   | . | .  | .  | .  | .  |
| 190           |   |   | . | .  | .  | .  |    |
| 200           |   |   | . | .  | .  | .  | .  |
| 220           |   |   |   | .  | .  | .  | .  |
| 240           |   |   |   | .  | .  | .  | .  |
| 250           |   |   |   |    | .  |    |    |
| 260           |   |   |   | .  | .  | .  | .  |
| 280           |   |   |   | .  | .  | .  | .  |
| 300           |   |   |   | .  | .  | .  | .  |
| 320           |   |   |   | .  | .  | .  | .  |
| 340           |   |   |   |    | .  | .  |    |

| Diameter (mm) | 5 | 6 | 8 | 10 | 12 | 16 | 20 |
|---------------|---|---|---|----|----|----|----|
| Length (mm)   |   |   |   |    |    |    |    |
| 360           |   |   |   |    | .  | .  |    |
| 380           |   |   |   |    | .  | .  | .  |
| 400           |   |   |   |    | .  | .  |    |
| 540           |   |   |   |    |    | .  |    |